

03630.000248



PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:)	
	:	Examiner: T. Duong
ATTAULLAH SHEIKH)	
	:	Group Art Unit: 2145
Appl. No.: 09/660,931 ✓)	
	:	
Filed: September 13, 2000)	Certificate
	:	DEC 05 2007
For: DIRECTORY SERVER TRACKING TOOL)	of Correction
	:	
U.S. Patent No.: 7,197,555 B1)	
	:	
Issued: March 27, 2007)	November 19, 2007

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

LETTER CALLING ATTENTION TO ERRORS IN PATENT

Sir:

The following minor errors have been noted in the above-identified patent:

COLUMN 2:

Line 65, "an" should read -- a --.

COLUMN 9:

Line 57, "can" should read -- can be --.

COLUMN 10:

Line 9, "to made" should read -- to be made --.


COLUMN 19:

Line 46, "registered" should read -- a registered --.

These errors appear to be relatively insignificant and, therefore, we do not believe it is necessary to request a Certificate of Correction. However, it is requested that this paper be placed in the filewrapper of the above-identified patent.

Patentee undersigned attorney may be reached in our Costa Mesa, California office by telephone at (714) 540-8700. All correspondence should be directed to our new address given below.

Respectfully submitted,

A handwritten signature in dark ink, appearing to read 'E. Kmett', written over a horizontal line.

Edward A. Kmett

Attorney for Patentee

Registration No.: 42,746

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3800
Facsimile: (212) 218-2200